



innovate/customize/educate

THERMICULITE[®]

Intense heat. Extreme cold. Aggressive chemicals.



www.flexitallic.eu





Downloaded from www.flexitallic.eu



FLEXITALLIC

The Flexitallic Group is the international market leader in the manufacture and supply of high quality, high value industrial static sealing products, delivering industrial gaskets on a global scale.






About us

As the developer of the spiral wound gasket in 1912, we have built on this legacy of innovation with revolutionary products including Thermiculite[®] and Sigma[®], The Flange Rescue Gasket winner of the NACE and Dupont Plunkett Awards, and most recently the Change[™] Gasket, set to transform the global sealing industry.

We have a global network of Allied Distributors across 30 countries. This ensures local demand is met quickly, providing a combination of the highest product quality and outstanding customer service. Our extensive and varied product offering includes spiral wound gaskets, RTJ gaskets, Flexpro[™] Kammprofiles, sheet materials, dynamic and static packings, pipe support and custom rubber products. Drawing upon the group's rich history and present day values of leadership, quality, service and technology, we are at the forefront of developing sealing solutions for industries around the world.

In addition to a wide range of products, we also deliver world-class technical support and Joint Integrity training.







Based on sales and geographic reach, the Flexitallic Group has become *the* global supplier of industrial gaskets.

Innovative Product Range

We have a rich history of innovation, which has seen us lead the industry with many new products.

Over the years, our products have gained a reputation for quality, reliability and technology that is second to none.

Customised Engineering Solutions

Our Application Engineering, Production Engineering and R&D teams work closely together to design, develop and manufacture bespoke sealing solutions.

We have been responsible for a number of truly revolutionary products, including Thermiculite[®], Sigma[®] and the Flange Rescue Gasket, which ensure we are able to continually meet the ever more stringent requirements of our customers.

Flexitallic® Safe

The Flexitallic approach to safety is more than a program it's a way of doing business that started in 1912. We believe our commitment to innovate, customize and educate adds another level of protection to our customers' operations.

From the first Spiral Wound Gasket in 1912 to the ever evolving applications for Thermiculite[®], our goal is to develop materials that push the parameters of heat, pressure and chemical resistance.

Our Commitment to Quality

We place great emphasis on maintaining international quality standards, and are approved to ISO 9001:2008, ISO 14001:2004 and OHSAS 18001:2007, API 6A and API 17D, to ensure we meet the highest possible standards for all our products and services.

We also invest heavily in test and quality assurance equipment to maintain our reputation for the highest quality products.

Our materials are subjected to a wide range of tests as specified by statutory regulations and customer requirements. These approvals enable our customers to make informed choices as to the suitability of a product for each and every application.

Inside Industry

We pride ourselves on not simply supplying products, but by supporting customers with a detailed knowledge of their industry and applications, so that products and services are tailored to their specific needs.

This unique approach means that we focus on providing more than just a product, but also a complete solution that adds genuine value to our clients.

Global Distribution... Local Support

Our products are distributed through a global network of Allied Distributors.

These carefully selected distribution partners are strategically located within their territory to deliver the best possible service and products to our customers. This approach means our products and know-how are available to the global industries we service.









THERMICULITE®

Thermiculite[®] is an innovative, versatile and complete gasket material, making it the industry's leading sealing solution.





INNOVATIVE. Cutting-Edge Material Technology

Ever since inventing the spiral wound gasket in 1912, Flexitallic has been at the forefront of fluid sealing innovation.

In 1998, Flexitallic set new standards for sealing technology with the introduction of Thermiculite[®] Critical Service Series gasket material available in Tanged Sheet – and later in Spiral Wound Filler and Flexpro™ (kammprofile) Facing styles.

Exclusive to Flexitallic, this revolutionary material, comprised of chemically and thermally exfoliated vermiculite*, simulated structure of exfoliated graphite, with one notable exception – it maintains integrity through a wide range of high temperatures.

All Thermiculite[®] Critical Service Series products are designed and engineered for high temperature processes in services up to 1832°F / 1000°C.

*Vermiculite, a naturally occurring mineral with a plate-like structure, demonstrating an exceptional broad range of chemical and temperature resistance.

VERSATILE. A New Level of Performance

Through our continued dedication to research and development, Flexitallic are also able to offer Thermiculite[®] Performance Service gasket material.

Thermiculite[®] Performance Series gasket material – developed for use in more moderate temperature applications – maintains the same broad chemical resistance and freedom from oxidation that has made Thermiculite[®] Critical Service Series such a success.

COMPLETE. The Total Static Sealing Solution

This innovative and versatile material is available as a stand alone Coreless sheet material, as a filler for SWG's, as a facing for Kammprofiles/Flange Rescue Gasket, and also in many of our other product lines.

Since its inception, Thermiculite[®] gasket material has proven itself as an effective long-term sealing solution in thousands of the most demanding industrial sealing applications.

With the combination of Thermiculite[®] Critical Service (800 Series) and Thermiculite Performance (700 Series), a single, proven material can be used for virtually all of your sealing requirements.

That's why we call Thermiculite[®] The Total Static Sealing Solution.

Downloaded from www.flexitallic.eu





There is no comparison. When it comes to worry-free sealing, choose Thermiculite[®].

Total Freedom From Oxidation

Conventional graphite gaskets are susceptible to attack by oxidising agents. This occurs from oxygen flowing within the media, or simply from oxygen present in the atmosphere surrounding the flange. The rate at which graphite oxidises depends on the application temperature and the concentration of oxygen present. But when it does happen – the end result is seal failure. The unique composition of Thermiculite[®] gasket material ensures that seals maintain their integrity at maximum service temperatures far exceeding that of graphite.

There really is no comparison. When it comes to worry-free sealing, choose Thermiculite[®] Critical Service Series or Thermiculite[®] Performance Series and eliminate the risk of oxidation altogether.

PROVEN TRACK RECORD IN THE FOLLOWING INDUSTRIES

- Power Generation
- Fertiliser (Aggro-Chemicals)
- Oil & Gas Exploration
- Industrial Chemicals
- Aerospace
- Oil Refining
- Solid Oxide Fuel Cells
- Green Energy Renewable Energy (Solar Thermal, Bioethanol and Energy from Waste EfW)

REQUIRED SERVICE LIFE IN YEARS	MAXIMUM SERVICE TEMPERATURE			
	Graphite	Thermiculite® 800 Series	Thermiculite® 700 Series	
1	691°F	1832°F	1022°F	
	(366°C)	(1000°C)	(550°C)	
3	630°F	1832°F	1022°F	
	(332°C)	(1000°C)	(550°C)	
5	610°F	1832°F	1022°F	
	(321°C)	(1000°C)	(550°C)	
10	580°F	1832°F	1022°F	
	(304°C)	(1000°C)	(550°C)	

The Tightness Testing Research Laboratory (TTRL) at Ecole Polytechnic in Montreal on behalf of the Pressure Vessel Research Council (PVRC) performed independent testing to show that the maximum service temperature for graphite in long-term service is much lower than quoted in manufacturers' literature. This table summarises those results.



THERMICULITE® CRITICAL SERVICE SERIES



Effectively manage your gasket selection process, simplify inventory requirements, and receive proven long-term sealing with Thermiculite[®] gasket material – The Total Sealing Solution.



Why Thermiculite[®] Critical Service Series?

- Total freedom from oxidation
- Chemical compatibility exceeds graphite
- Can be used in temperatures from cryogenics up to 1832°F / 1000°C
- Fire safe
- Proven track record
- Wide range of metals available



Thermiculite[®] 815 Tanged Sheet

High temperature sheet reinforced with a 0.004" 316 stainless steel tanged core. Available in thicknesses of 1/32", 1/16" and 1/8", in metre (standard) and 60" x 60" (1.5 m x 1.5m) sheet. Cut gaskets also available in all shapes and sizes.



Thermiculite[®] 835 Spiral Wound Filler

High temperature filler material for spiral wound gaskets. Wide range of metals available.

Thermiculite[®] 845 Flexpro™ (kammprofile) Facing

High temperature facing material for kammprofile gaskets. Wide range of metallic core materials available.



Thermiculite[®] 894 Packing Material Critical service packing made from expanded vermiculite foil and Inconel wire.

Downloaded from www.flexitallic.eu



THERMICULITE® PERFORMANCE SERIES



Choose Thermiculite[®] – contact your local Allied Distributor today.

Allied Distributor



Why Thermiculite® Performance Series?

- Total freedom from oxidation
- Broad chemical compatibility range
- Fire safe
- Genuine opportunity for gasket standardisation and inventory consolidation
- Wide service capability



Thermiculite® 715 Coreless Sheet

High performance coreless sheet material. Replacement of compressed fibre sheet line, SF 2401, 2420, 3300, 5000 and tanged graphite sheet. Available in thicknesses of 1/32", 1/16" and 1/8" in cut gaskets and 60" x 60" sheet (1.5m x 1.5m) sheet.

RECOMMENDED SERVICE CONDITIONS FOR THERMICULITE®	© CRITICAL SERVICE & PERFORMANCE SERIES
--	---

	CRITICAL SERVICE SERIES			PERFORMANCE SERIES
	815	835	845	715
Product Type	Tanged Sheet	Spiral Wound Filler	Flexpro (kammprofile) Facing	Coreless Sheet
Temperature Range	Cryogenics to 1832ºF / 1000ºC	Cryogenics to 1832ºF / 1000ºC	Cryogenics to 1832ºF / 1000ºC	Cryogenics to 850°F / 454°C
Pressure Range	Class 150 to 300	Class 150 to 2500	Class 150 to 2500	Class 150 to 300
Typical Use	High temperatures proble	Available in cut gasket and 1.5m x 1.5m sheet		





innovate/customize/educate

UNITED KINGDOM Flexitallic Ltd

Scandinavia Mill Hunsworth Lane Cleckheaton West Yorkshire BD19 4LN UK Tel. +44 1274 851273 Fax. +44 1274 300303 www.flexitallic.eu

UNITED ARAB EMIRATES Flexitallic LLC

P.O. Box 6591 Amenity Centre Tower Number 2 10th Floor, Office 4 Al Hamra Industrial Area Ras Al Khaimah UNITED ARAB EMIRATES Tel. +971 (0)7 243 4305 Fax. +971 (0)7 243 4306 www.flexitallic.ae

UNITED STATES Flexitallic L.P.

6915 Highway 225 Deer Park Texas 77536 USA Tel. +1 281 604 2400 Fax. +1 281 604 2415 www.flexitallic.com

www.flexitallic.com

Flexitallic Sealing Technology (Suzhou) Co. Ltd

Building 3, South 688 Pangjin Road WuJiang Export Processing Zone WuJiang CHINA 215200 Tel. +86 512 6303 2839 Fax. +86 512 6303 2879 www.china.flexitallic.com

FRANCE

Siem Supranite *a Flexitallic Company* 250 bis rue du Fg St Honoré 75008 Paris FRANCE Tel. +33 (0)1 48 88 88 88 Fax. +33 (0)1 47 66 88 44 www.siem.fr

KAZAKHSTAN

Novus Sealing Caspian LLP *a Flexitallic Joint Venture*

7v Atambayev St. Atyrau 060005 REPUBLIC OF KAZAKHSTAN Tel: +7 7122 309936 Fax: +7 7122 309937 www.novussealingcaspian.com

UNITED STATES Custom Rubber Products

2625 Bennington Houston Texas 77093 USA Tel. +1 713 691 2211 Fax. +1 713 691 3005 www.customrubber.com

SAUDI ARABIA

Flexitallic Middle East LLC Al-Aujam Industrial City 6790-Al Badia Unit No. 1 32656-2462 KINGDOM OF SAUDI ARABIA Tel. +966 13 8089635 Fax. +966 13 8089634 www.flexitallic.sa

SINGAPORE

Flexitallic Ltd Singapore Branch Level 42 Suntec Tower Three 8 Temasek Boulevard SINGAPORE 038988 Tel: +65 68663638 www.flexitallic.eu

CANADA Flexitallic Inc

4340 - 78 Avenue Edmonton Alberta, T6B 3J5 CANADA Tel. +780 466 5050 Fax. +780 465 1177 www.flexitallic.ca

About The Flexitallic Group

The Flexitallic Group is a global leader in specialised sealing solutions and products serving the oil and gas, power generation, chemical and petrochemical industries in emerging and developed markets. Focused on the upstream, downstream and power generation sectors, it has operations in France, the United States, Canada, Mexico, the United Kingdom, Germany, the United Arab Emirates, Saudi Arabia, Kazakhstan and China plus a network of worldwide licensing partners and distributors.

www.theflexitallicgroup.com





FLEX001-AUG 2014-REV3